



Barrier-free products and systems
for bathrooms and sanitary installations

burda
Sanitärtechnik



Barrier-free 

- for self-determined living at home
- Individual solutions for special needs
- Plan today and enjoy tomorrow as well
- Investing in the future
- Assistance in everyday life
- Flexible well into old age



M-BLOCKCARE

for barrier-free facilities

Barrier-free solutions for secure bathrooms

In recent years the issue of accessibility has been moved increasingly into focus by the demographic trend. Not only people with disabilities but also senior citizens do not want to give up a safe, comfortable bathroom.

M-Blockcare *WCmove* and *WTmove* are ideal installation elements that guarantee barrier-free property, but can also be used in a multi-generation house in order to quickly adapt the different sizes respectively to the people living there.

M-Blockcare *WCmove* and *WTmove*

with electric height adjustability
for barrier-free toilets



suitable for: Front wall
and wall installation



Scope of delivery *WCmove*

Dry construction element self-supporting incl.:

without support handles

- with flushing cistern Geberit, prepared for Geberit Aquaclean
- with glass dummy button, white
- with glass plate white
- with radio remote control
- with fiber-reinforced, entirely impregnated dry-wall front with all standard apertures
- WC fixing 180 mm
- Adjustability: 30 cm (electric)
- max. resilience 350 kg

with support handles

- Additionally with 2 Normbau hinged support rails, type cavere, silver-metallic (similar to RAL 9006), with integrated radio remote trigger for the flush and paper roll holder

optional

- glass plate in individual colour (RAL)
- cladding for individual installation with individual choice of colour

Scope of delivery *WTmove*

Dry construction element self-supporting incl.:

without wash-stand

- with concealed siphon
- with glass plate white
- with radio remote control
- with fiber-reinforced, entirely impregnated dry-wall front with all standard apertures
- for wash-stand fixing 280 mm
- Adjustability: 30 cm (electric)

with wash-stand


- additionally with Romay Design wash stand Rovabo for single hole mixer tap, with integrated siphon without recessed grip, ideal for wheel chair access
- Towlrail for wash-stand Rovabo

optional

- glass plate in individual colour (RAL)
- glass plate with mirror
- cladding for individual installation with individual choice of colour

PLANO-X

Planopor, Planolife and PlanoTech – Intelligent solutions for floor-level shower areas



The Plano-X standard product range includes a number of popular shower formats and sizes.

In addition, custom shower areas can also be integrated precisely in niches, on projections and even in quirky floor cracks. Talk to your installer or your wholesale dealer and implement your floor-level dream shower in your desired dimensions.

Plano-X enables floor-level showers according to building regulations and combines this with your desires for comfort and aesthetics.

Planopor consists of an extruded polystyrene rigid foam core with fibre glass fabric, reinforced special mortar coating and alternative sealing, with integrated incline of about 2% and can be tiled according to your wishes later.

PlanoStyle

Shower element with a variety of colours
Shower worlds without silicone



Design

- Square
- Rectangle

Formats

of 800 x 800 mm
to 1500 x 1500 mm
Special formats on request

Planopor/Planoline

Subfloor elements for floor-level showers
for subsequent tiling



Design

- Square
- Rectangle
- Pentagon

Formats

of 800 x 800 mm
to 1500 x 1500 mm
Sonderformate auf Anfrage

Scope of delivery:

- Top plate
- Floor drain DN 50
- Standard grate



Planning aid for barrier-free bathrooms



General planning principles

- Door opens outward and is at least 90 cm wide.
- Provide enough movement space for unrestricted use (150 x 150 cm, wheelchair turning radius).
- Products such as toilet, handles or hinged support rail only on stable walls.
- Connector strips at 85 cm height.
- High contrast, colour scheme facilitating orientation (e.g. floor/wall or wall/handle).

Important: Consideration of individual user requirements.

Showers

- Ground level, barrier-free execution.
- Height adjustable hand shower with easily accessible fitting.
- Vertical rod of the hand shower used as a handle (up to at least 150 cm height).
- Shower seat.

WC

- Height 48 cm, height adjustable solution.
- WC at least 65 cm deep (extended version) with back support when used by wheelchair user.
- Support and handles assembly provided.
- Easily accessible toilet flushing or comfortable with remote control.

Washing area and furnishing

- Shallow wash basin with at least 100 cm wheelchair accessibility.
- Built-in furniture.
- Flush-mounted or flat surface-mounted siphon.
- Fittings easy to grip and operate – Ideally, sensor controlled.